

Standard Adaptor Flanges

Compatibility	No. Holes	Hole Ø (mm)	PCD (mm)	Specification	Material	Part No.
2½" BSP relief valve	4	14	130	2½" BSP / DN65 PN6	CF3M	176/3000
2½" BSP relief valve	4	18	145	2½" BSP / DN65 PN10	316 st/steel	176/3091
3" bottom discharge valve mating flange	4	18	160	DN80	316 st/steel	294/0081
2½" BSP relief valve/burst disc inlet adaptor	6	M10	105		CF8M	176/7002
2½" BSP relief valve/burst disc	6	11	105		CF8M	176/7001
1½" BSP relief valve/burst disc	6	11	105		316L st/steel	176/7085
1½" BSP airline ball valve	8	M16 x4 18 x4	110 110	1½" BSP / DN40	316L st/steel	530/ADAP40 *Note
1½" BSP airline ball valve	8	M16 x4 18 x4	125 125	1½" BSP / DN50	316/316L st/steel	530/ADAP50 *Note
Top discharge syphon tube	8	14 x6 18 x4	168 160		CF3M	368/0810
Top discharge butterfly valve	8	M16 x4 18 x4	160 160	DN80	316 st/steel	S0404
4" bottom discharge mating flange	8	18	180	DN100 PN10	316 st/steel	875/4150

Please contact us if the adaptor flange you need is not shown.

NOTE: You can buy a complete kit to change a 1½" BSP connection to DN40 or DN50. Refer to data sheet SPA042.



Standard Blind Flanges

Compatibility	No. Holes	Hole Ø (mm)	PCD (mm)	Specification	Material	Part No.
Flanged airline ball valve eg 530/1000	4	17	110	DN40 PN10	CF8M	530/8053CM
Airline connection	4	17	125	DN50 PN10	CF8M	370/4239CM
Top/bottom discharge	4	17	160	DN80	CF8M	312/0022CM
Top/bottom discharge	4	18 slots	146 to 160	DN80 / 3"ASA	316 st/steel	360/8066
Relief valve weld-in flange (176/3150)	6	11	105	N/A	CF8M	176/3160CM
Top discharge weld-in flange (368/0800)	6	14	168	N/A	CF8M	S0206CM

Please contact us if the blind flange you need is not shown.



530/8053CM



370/4239CM



312/0022CM



360/8066



176/3160CM



S0206CM

Standard Outlet Flanges

Description	No. Holes	Hole Ø (mm)	PCD (mm)	Specification	Material	Part No.
3" BSP eccentric spigot, square flange	4	14	130	DN80	CF3M	SP368/5129
3" Camlock	4	17 slots	146 to 160	3" ASA150, 3"BSTD, DN80 PN10	CF8M	SP368/8058
3" BSP eccentric spigot, square flange	4	18	160	DN80	CF8M	SP368/8047
3" BSP offset spigot, square flange	4	19 slots	146 to 160	DN80	CF3M	SP368/8010

Please contact us if the outlet flange you need is not shown.

NOTE: We pressure test the outlet flanges shown.



SP368/5129



SP368/8058



SP368/8047



SP368/8010